

# Product data sheet T-Stop guide rail



For opening restriction or hold-open of doors without door closer

## **AREAS OF APPLICATION**

- → Right and left single-action doors
- → Opening restrictor for single-action doors without door closer
- → Door systems without smoke and fire protection requirements
- → For combination of an automatic swing door drive with a TS 5000 on double leaf door systems



#### **PRODUCT FEATURES**

- → Holds doors without door closer open, not self-closing
- → Can be used for right and left hand doors without conversion
- → The door opening angle is limited and a door stopper is usually no longer required
- → Door area is more attractive without door stopper, no tripping hazards or dirty corners
- ightarrow Crushing between the door leaf and floor mounted door stopper is avoided

#### TECHNICAL DATA

Productname	T-Stop guide rail		
Type of installation	Door leaf installation hinge side, Transom installation opposite hinge side, Transom installation hinge side, Door leaf installation opposite hinge side		
Hold-open function	Optional		
Smoke switch integrated	No		

## **PART**

#### **PIVOT BEARING T-STOP**

For opening restriction or hold-open of doors without door closer



Designation	Description	Ident-No.	Colour	Dimensions
Pivot bearing T-Stop	Surface-mounted	112689	white RAL 9016	60 x 35 x 60 mm
Pivot bearing T-Stop	Surface-mounted	112688	silver-coloured	60 x 35 x 60 mm
Pivot bearing T-Stop	Surface-mounted	112690	according to RAL	60 x 35 x 60 mm

GEZE GmbH | Reinhold-Vöster-Straße 21-29 | D-71229 Leonberg | TEL +49 7152 203-0 | WEB www.geze.de | Mail info.de@geze.com



## T-STOP GUIDE RAIL BG TS 3000 / 5000

With opening restrictor and lever, opposite hinge side



Designation	Description	ldent- No.	Colour	Dimensions
T-Stop guide rail BG TS 3/5000	with integrated opening restrictor and lever, use with door closer on leaf installation opposite hinge side or with pivot bearing in leaf and transom installation opposite hinge side	102368	according to RAL	452.5 x 33 x 30 mm
T-Stop guide rail BG TS 3/5000	with integrated opening restrictor and lever, use with door closer on leaf installation opposite hinge side or with pivot bearing in leaf and transom installation opposite hinge side	102367	Stainless steel optic	452.5 x 33 x 30 mm
T-Stop guide rail BG TS 3/5000	with integrated opening restrictor and lever, use with door closer on leaf installation opposite hinge side or with pivot bearing in leaf and transom installation opposite hinge side	108482	white RAL 9016	452.5 x 33 x 30 mm
T-Stop guide rail BG TS 3/5000	with integrated opening restrictor and lever, use with door closer on leaf installation opposite hinge side or with pivot bearing in leaf and transom installation opposite hinge side	102366	silver-coloured	452.5 x 33 x 30 mm

## T-STOP GUIDE RAIL TS 3000/ 5000

With opening restrictor and lever



Designation	Description	Ident-No.	Colour	Dimensions
T-Stop guide rail TS 3/5000	with integrated opening restrictor and lever	108481	white RAL 9016	452.5 x 33 x 30 mm
T-Stop guide rail TS 3/5000	with integrated opening restrictor and lever	102364	Stainless steel optic	452.5 x 33 x 30 mm
T-Stop guide rail TS 3/5000	with integrated opening restrictor and lever	102365	according to RAL	452.5 x 33 x 30 mm
T-Stop guide rail TS 3/5000	with integrated opening restrictor and lever	102363	silver-coloured	452.5 x 33 x 30 mm

GEZE GmbH | Reinhold-Vöster-Straße 21–29 | D-71229 Leonberg | TEL +49 7152 203-0 | WEB www.geze.de | Mail info.de@geze.com



#### ACCESSORIES

# MECHANICAL HOLD-OPEN UNIT

For standard/T-Stop/Boxer 20.7 mm guide rail



Designation	Description	Ident-No.
Mechanical hold-open unit	for standard / T-Stop / Boxer 20.7 mm guide rail, retention force adjustable, can be switched on and off, can be overridden	071924

#### **INSTALLATION MATERIAL**

## **MOUNTING PLATE GUIDE RAIL BG**

For standard, ECline, T-Stop and EFS guide rail, opposite hinge side



Designation	Description	Ident-No.	Colour
Mounting plate guide rail BG	for standard / ECline / T-Stop / EFS guide rail	124684	according to RAL
Mounting plate guide rail BG	for standard / ECline / T-Stop / EFS guide rail	124683	silver-coloured

## **MOUNTING PLATE GUIDE RAIL**

For standard, ECline, T-Stop and EFS guide rail



Designation	Description	Ident-No.	Colour
Mounting plate guide rail	for standard / ECline / T-Stop / EFS guide rail	001512	silver-coloured
Mounting plate guide rail	for standard / ECline / T-Stop / EFS guide rail	104515	according to RAL
Mounting plate guide rail	for standard / ECline / T-Stop / EFS guide rail	129252	white RAL 9016

**GEZE GmbH** Reinhold-Vöster-Straße 21–29 D-71229 Leonberg TEL +49 7152 203-0 WEB www.geze.de Mail info.de@geze.com 2024-04-07T03:22:34Z



#### LINTEL CASING BRACKET

For ECline and T-Stop guide rail



Designation	Description	Ident-No.	Colour
Lintel casing bracket	For ECline and T-Stop guide rail	115006	silver-coloured
Lintel casing bracket	For ECline and T-Stop guide rail	115007	according to RAL